

## BOEHRINGER INGELHEIM

Regulatory Labeling & Graphics - St. Joseph, Missouri USA

Revision:	6	Type/Size:	Label/50 dose
Operator:	ars	Template #:	269
Date:	19jun19	Dimensions:	1.77" x 5"
Art #:	157502-01	Corner Radius:	.125
SAP #:	106779-002	<b>MASTER:</b>	157501
Product:	Preponse SQ	PDF:	19jun19 ars

BLACK

PMS 151

PMS 354

PRINTED ON LAMINATE. NO VARNISH.

Serial No.:  
Exp. Date:

0  
1  
2  
3  
1  
3  
1  
5  
7  
5  
3  
1

**Indications:** This product has been shown to be effective for the vaccination of healthy cattle 3 months of age or older against *Mannheimia haemolytica*.

The duration of immunity has not been determined. For more information regarding efficacy and safety data go to [productdata.aphis.usda.gov](http://productdata.aphis.usda.gov).

**Directions and dosage:** Mix well before use. Inject one 2 mL dose subcutaneously in the neck area, anterior to the shoulder, using aseptic technique. Contact your veterinarian or the manufacturer for information on revaccination frequency.

**Precautions:** Store out of direct sunlight at 35-46°F (2-8°C). Do not freeze.

### Mannheimia Haemolytica Toxoid

Preponse® SQ

with Metastim®

50 Doses/100 mL



50  
DOSES

Do not mix with other products. Use entire contents when first opened. Do not vaccinate within 21 days before slaughter. Transient injection site reactions may occur. In case of anaphylactoid reaction, administer epinephrine. This product has not been tested in pregnant animals. In case of human exposure, contact a physician.

**Preservative:** Thimerosal.

**Boehringer Ingelheim  
Animal Health USA Inc.**  
St. Joseph, MO 64506  
Phone: 1 (888) 637-4251  
VLN/PCN 124/8699.01



Boehringer  
Ingelheim

157502-01