BOEHRINGER INGELHEIM

Regulatory Labeling & Graphics - St. Joseph, Missouri USA

Type/Size: Revision: Label/50 dose Template #: Operator: ars 269 20lun19 Dimensions: 1.77" x 5" Date: Art #: 115102-04 Corner Radius: .125 SAP# MASTER 106165-002 115101 Product: Alpha-CD PDF. 21lun19 ars

> Serial No.: Exp. Date:

PMS 324

PRINTED ON LAMINATE. NO VARNISH.

Indications: This product has been shown to be effective for the vaccination of healthy cattle 3 months of age or older against Clostridium perfringens types C and D.

The duration of immunity has not been determined. For more information regarding efficacy and safety data, go to productdata. aphis.usda.gov.

Although Ct. perfringens type B is not a significant problem in the U.S.A., immunity

significant problem in the U.S.A., immunity may be provided against the beta and epsilon toxins elaborated by C.P. Perfingers type B.

This immunity is derived from the combination of type C (beta) and type D (epsilon) fractions.

Directions and dosage: Mix well before use.
Using aseptic technique, inject a single
2 mL dose subcutaneously or intramuscularly.
Contact your veterinarian or the manufacturer
for information on revaccination frequency.

Clostridium
Perfringens
Types C & D Toxoid
ALPHA-CD°
Single dose
50 Doses/100 mL

Precautions: Store out of direct sunlight at 35-46°F (2-8°C). Do not freeze. Do not mix with other products. Use entire contents when first opened. Do not vaccinate within 60 days before slaughter. Injection site swelling may occur. In case of anaphylactoid reaction, administer epinephrine. The use of a biological product in lactating dairy cattle may cause reduced milk production. This product has not been tested in pregnant animals. Accidental injection to humans can cause serious local reactions. In case of human exposure, contact a obysician immediately.

Preservative: Gentamicin

Boehringer Ingelheim Animal Health USA Inc. St. Joseph, MO 64506 Phone: 1 (888) 637-4251 VLN/PCN 124/8201.02 115102-04