Boehringer Ingelheim Regulatory Labeling & Graphics - St. Joseph, Missouri USA

Revision: 10 Operator: ars RA Labeling:

Date:

Art #.

SAP #:

Product:

Type/Size: Template #: Label/250 doses 291

Dimensions:

3" x 6-63/64" Corner Radius: 125

PDF: 17Mar20 ars

Caliber 3 NO VARNISH. PRINTED ON LAMINATE

17Mar20

121503-02

106661-002


BLACK PMS 485 PMS 384

Serial No.: Exp. Date:

Indications: This product has been shown to be effective for the vaccination of healthy sheep and cattle, including pregnant and lactating cows, against Clostridium perfringens types C and D. This product was licensed prior to the requirement to establish a minimum age for use. The duration of immunity has not been determined. For more information regarding efficacy and safety data, go to product data, aphis. usda.gov.

Although Cl. perfringens type B is not a significant problem in the U.S.A., immunity may be provided against the beta and epsilon toxins elaborated by Cl. Perfringens type B. This immunity is derived from the combination of type C (beta) and type D (epsilon) fractions.

Directions and dosage: Mix well before use. Using aseptic technique, inject 2 mL subcutaneously. Repeat in 21 to 28 days. Contact your veterinarian or the



manufacturer for information on revaccination frequency.

Precautions: Store out of direct sunlight at 35-46°F (2-8°C). Do not freeze, Do not mix with other products. Use entire contents when first opened. Do not vaccinate within 21 days before slaughter. In case of anaphylactoid reaction, administer epinephrine. This product has not been tested in pregnant sheep. In case of human exposure, contact a physician.

Preservative: Phenol.

Boehringer Ingelheim Animal Health USA Inc. St. Joseph, MO 64506 Phone: 1 (888) 637-4251 VI N/PCN 124/8201.03

