





HOW TO PROPERLY ADMINISTER LOCKOUT® TEAT SEALANT.


Follow these steps for best results in a dry-off protocol.




1 Ensure each quarter is completely milked out. When using an antibiotic at dry-off, administer first according to the label.




2 Proper hygiene is crucial. Remember to keep syringes clean, and replace or disinfect disposable gloves between each cow or when soiled. **DO NOT** immerse syringes in water prior to use.




3 Dip teats with germicidal solution. Allow 30 seconds of contact time. Dry each teat with a clean towel.




4 Scrub each teat end with a 70-percent alcohol-soaked pad, starting on teats farthest away.




5 Remove the cap from the LOCKOUT non-antibiotic internal teat sealant tube, being careful not to touch the tip and to maintain proper hygiene.




6 Pinch the teat where it joins the base of the udder. This helps position the LOCKOUT paste in the teat canal.



7 Apply LOCKOUT using partial-insertion technique, starting on the closest teat (opposite order of cleaning). **NOTE** the plunger only travels one-half inch.



8 Deposit a small quantity of sealant in the teat canal as you remove the syringe. **DO NOT** massage LOCKOUT teat sealant into the udder.




9 Apply a post-milking teat disinfectant.

REMOVAL


Follow these steps to remove LOCKOUT at calving time.



1 Do not remove LOCKOUT with a milking machine. At calving, thoroughly hand-strip every teat 10 to 12 times, beginning at the top of the teat and working down prior to milking.*



2 Identification: LOCKOUT is the first non-antibiotic internal teat sealant to feature a visible blue paste that's easy to distinguish from milk during removal. **If you see blue, there is more teat sealant to remove.**



3 Milk fresh cows into a bucket for a minimum of three milkings, according to post-partum procedures. See important withdrawal information below.

WITHDRAWAL INFORMATION:

LOCKOUT requires no milk or pre-slaughter withdrawal when used alone. If dry cow treatment is used in conjunction with LOCKOUT, follow recommended antibiotic withdrawal times per the label.

*Dispose of any unused product or sealant stripped from an animal in accordance with federal, state and local requirements.

LOCKOUT® is a registered trademark of Boehringer Ingelheim Animal Health USA Inc. ©2019 Boehringer Ingelheim Animal Health USA Inc., Duluth, GA. All Rights Reserved. US-BOV-0509-2021

lockout®

LockoutTeatSealant.com