

Boehringer  
Ingelheim

Revision ..... 1  
Operator ..... hal  
Date ..... 24Feb11  
Art # ..... 60802-01  
Item # ..... 460801  
Product ..... Triangle 5

Type/Size ..... 50 Dose Label  
Template # ..... 289  
Dimensions .... 2" x 5"  
File Path ..... V1/BI Labeling  
PDF..... 21Feb11 hal  
Rev Level ..... 01

BLACK

PMS 362

PMS 205

VARNISH

SEPARATIONS  
CHECKED by

hal 24Feb11

Click here with mover tool to bring  
varnish plate to front

Click here with mover tool to bring keyline to front

Serial No.:  
Exp. Date:



**Indications:** For vaccination of healthy cattle as an aid in the prevention of disease caused by infectious bovine rhinotracheitis (IBR), bovine virus diarrhea (BVD types 1 & 2), parainfluenza 3 (PI3), and bovine respiratory syncytial (BRSV) viruses.

**Composition:** Contains IBR, BVD Types 1 and 2, PI3, and BRSV killed viruses, with neomycin, polymyxin B, and thimerosal as preservatives.

**Dosage and Administration:** Shake well before using. Inject one 2 mL dose intramuscularly or subcutaneously, using aseptic technique. Repeat in 14 to 28 days. A 2 mL booster dose is recommended annually or prior to time of stress or exposure. Calves vaccinated under six months of age should be revaccinated at six months of age. May be administered to pregnant animals at

## Bovine Rhinotracheitis- Virus Diarrhea- Parainfluenza 3- Respiratory Syncytial Virus Vaccine, Killed Virus

**TRIANGLE<sup>®</sup> 5**

50 Doses/100 mL

any stage of gestation. Protect animals from exposure for at least 14 days after the last dose of vaccine.

**Precautions:** Store in the dark at 35 - 45°F (2 - 7°C). Avoid freezing. Use entire contents when first opened. Do not vaccinate within 21 days before slaughter. Transient swelling may occur at the injection site. In case of anaphylactoid reaction, administer epinephrine.

Boehringer Ingelheim  
Vetmedica, Inc.  
St. Joseph, MO 64506  
U.S. Veterinary License No. 124  
Code: 160-831



Boehringer  
Ingelheim

60802-01