| Boehringer | Code: 131001-01 | SAP #: 164331-002 | | INITIALS: KS-HI | Version: 7 0/Aug 1 Master: 131000

31000

COLORS

BLACK PMS 1565

PMS 425

INTITALS, KS-TIL	version, 7 04Aug21 Master, 131000
Product Component Type Size:	Porcine Circovirus Vaccine
Country(s):	US
Dimensions <u>Flat</u> : Dimensions <u>Folded</u> :	1.77" x 5.000" NA
Template #:	269
Corner Radius:	.125"
DIELINE:	NA
RA Labeling:	

Printer Notes:

Printed on laminate. No varnish.


Evn Date:

Composition: This product contains PCV2d.

This product has been shown to be effective for the vaccination of healthy pigs 3 weeks of age or older against porcine circovirus bye 2d (PCV2O). The onset of immunity is 28 days. The duration of immunity is not determined. For more information regarding efficacy and safety data, go to productdata anohis.usda.go to

The efficacy of the product was demonstrated based on lymphoid depletion, lymphoid colonization, and viremia, when administered intramuscularly as a single 1 mL dose to 3-week old pigs.

Directions and dosage: Shake well before use. Using aseptic technique, administer a single 1 mL dose by intramuscular injection. The need for annual booster vaccinations has not been established for this product; consultation with a veterinarian is recommended.



Precautions: Store at 35-46°F (2-8°C). Do not freeze. Use entire contents when first opened. Do not vaccinate within 21 days before slaughter. Do not mix with other products. In case of anaphylactoid reaction, administer epinephrine. This product has not been tested in pregnant animals. In case of human exposure, contact a physician.

Preservative: Neomycin

Boehringer Ingelheim Animal Health USA Inc. St. Joseph, MO 64506

Phone: 1 (888) 637-4251 VLN/PCN 124/19K5.R4



) Boehringer Ingelheim 131001-01